

Laboratory Fields of Accreditation

Matrix	Method	Analyte	Analyte Code	AB
NPW	EPA 180.1	Turbidity	2055	TX
NPW	EPA 200.8	Aluminum	1000	TX
NPW	EPA 200.8	Antimony	1005	TX
NPW	EPA 200.8	Arsenic	1010	TX
NPW	EPA 200.8	Barium	1015	TX
NPW	EPA 200.8	Cadmium	1030	TX
NPW	EPA 200.8	Calcium	1035	TX
NPW	EPA 200.8	Chromium	1040	TX
NPW	EPA 200.8	Copper	1055	TX
NPW	EPA 200.8	Iron	1070	TX
NPW	EPA 200.8	Lead	1075	TX
NPW	EPA 200.8	Magnesium	1085	TX
NPW	EPA 200.8	Manganese	1090	TX
NPW	EPA 200.8	Molybdenum	1100	TX
NPW	EPA 200.8	Nickel	1105	TX
NPW	EPA 200.8	Potassium	1125	TX
NPW	EPA 200.8	Selenium	1140	TX
NPW	EPA 200.8	Silver	1150	TX
NPW	EPA 200.8	Sodium	1155	TX
NPW	EPA 200.8	Strontium	1160	TX
NPW	EPA 200.8	Thallium	1165	TX
NPW	EPA 200.8	Uranium	3035	TX
NPW	EPA 200.8	Zinc	1190	TX
NPW	EPA 300.0	Chloride	1575	TX
NPW	EPA 300.0	Nitrate as N	1810	TX
NPW	EPA 300.0	Nitrite as N	1840	TX
NPW	EPA 300.0	Sulfate	2000	TX
NPW	EPA 351.2	Total Kjeldahl Nitrogen - (TKN)	1790	TX
NPW	EPA 365.3	Orthophosphate as P	1870	TX
NPW	EPA 365.3	Total Phosphorus	1910	TX
NPW	SM 2320 B	Alkalinity as CaCO3	1505	TX
NPW	SM 2340 B	Total hardness as CaCO3	1755	TX
NPW	SM 2340 C	Total hardness as CaCO3	1755	TX
NPW	SM 2540 C	Residue-filterable (TDS)	1955	TX
NPW	SM 2540 D	Residue-nonfilterable (TSS)	1960	TX
NPW	SM 4500-NH3 D	Ammonia as N	1515	TX
NPW	SM 5210 B	Biochemical Oxygen Demand (BOD)	1530	TX

TEXAS Accreditation Certificate

San Antonio River Authority Regional Environmental
Laboratory

State Lab ID: T104704262

Certificate ID: TX-C26-00043

Effective Date: 03/01/2026

Expiration Date: 02/28/2027

NPW	SM 5210 B	Carbonaceous BOD (CBOD)	1555	TX
NPW	SM 5310 C	Total Organic Carbon (TOC)	2040	TX
NPW	SM 9223 B (Colilert Quanti- Tray)	Escherichia coli (E. coli)	2525	TX